

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: Nonresponsive based on revised scope @westonsolutions.com]; Nonresponsive based on revised scope @WestonSolutions.com]; Nonresponsive based on revised scope @epa.gov]; Graybill, Eric[graybill.eric@epa.gov]
From: Nonresponsive based on revised scope [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=29594540F9864AD2AB18944AF0A52E05-Nonresponsive based on revised scope]
Sent: Fri 5/15/2020 7:06:09 PM (UTC)
Subject: 48755 - Validated Electronic Data for Shiloh Church Road
48755 C0B72 LTR.pdf
48755 C0B72 DVR.pdf
48755 C0B72 SSR.pdf
EQuls 1 48755 C0B72 VAL.xls
EQuls 2 48755 C0B72 VAL.xls
EQuls 3 48755 C0B72 VAL.xls
EQuls 48755 C0B72 VAL.xls

Christine Wagner
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Dear Christine,

Attached to this message you will find electronic files containing the validation report and validated data for the Shiloh Church Road site, Case # 48755, SDG C0B72. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Eric Graybill by phone at 410-305-2665 or e-mail at Graybill.Eric@epa.gov if additional assistance is needed.

TO # 0002 TDF # 0320003



Nonresponsive based on revised scope

Chemistry Data Manager

Nonresponsive based on revised scope

@epa.gov

ICF | 701 Mapes Road, Fort Meade, MD 20755-5350

ED_013731B_00008474-00001